

NEW

VCSEL Swept Source HSL-1

The HSL-1 is based on advanced electrically pumped VCSEL (Vertical Cavity Surface Emitting Laser) technology. An attractive laser for SS-OCT applications the HSL-1 takes advantage of a number of features intrinsic to VCSELs to deliver best-in-class performance, including long coherence length, variable scan speed and low signal noise. The HSL-1 has been designed with system integration in mind; a compact, efficient package the laser is also robust, reliable and suitable for mass production.



Features

- ▶ 1060nm Wavelength Range
- ▶ Single Mode Lasing: Ultra Long Coherence Length
- ▶ Flexible Scanning Rate, Tuning Range, and Direction
- ▶ Coherence Revival and Mode Competition Noise Free
- ▶ Compact and Designed for Reliability
- ▶ Integrated k-Trigger


Applications

- ▶ Swept Source OCT (SS-OCT)
- ▶ Spectroscopy
- ▶ Interferometry
- ▶ Optical Sensing
- ▶ LiDAR

Performance

	Unit	Specification	Notes
Center Wavelength	nm	1060±15	
Scan Range	nm	≥70	
Maximum Scan Speed	kHz	4 to 200	Maximum bi-directional scan speed
Coherence Length	mm	≥120	Single Mode Lasing
Output Power (Peak)	mW	≥25	

Measurement Data



www.santec.com E-Mail : sales@santec.com

2019 © SANTEC CORPORATION Santec reserves the right to make changes in equipment design, components or specifications without notice.



SANTEC CORPORATION

5823 Ohkusa-Nenjozaka, Komaki, Aichi 485-0802, Japan Tel: +81-568-79-3536 Fax: +81-568-79-1718

SANTEC U.S.A. CORPORATION

433 Hackensack Ave., Hackensack, NJ, 07601, U.S.A. Toll Free: +1-800-726-8321 (santec-1) Tel: +1-201-488-5505 Fax: +1-201-488-7702

SANTEC EUROPE LIMITED

Grand Union Studios, 332 Ladbroke Grove, London W10 5AD Tel. +44-20-3176-1550

SANTEC (SHANGHAI) Co., Ltd

11F Room E, Hua Du Bldg., No.838 Zhangyang Road, Pudong, Shanghai 200122 China Tel: +86-21-58361261, +86-21-58361262 Fax: +86-21-58361263